L Number	Hits	Search Text	DB	Time stamp
5	0	("5140338" | "5600331" | "5650935" | "5745370" | "5812434" | "5940310").PN. and quadrilateral	USPAT	2003/06/24 12:20
6	1	(electromagnetic with field) and (calculat$3 with intensity) and (extract$3 with surface) and (partition$3 with surface) and quadrilateral	USPAT; US-PGPUB	2003/06/24 14:01
7	1	(electromagnetic with field with intensity) and (calculat$3 with intensity) and quadrilateral	USPAT; US-PGPUB	2003/06/24 12:21
10	0	("5140338" | "5600331" | "5650935" | "5745370" | "5812434" | "5940310").PN. and (four with sides)	USPAT	2003/06/24 12:20
11	7	(electromagnetic with field with intensity) and (calculat$3 with intensity) and (four with sides)	USPAT; US-PGPUB	2003/06/24 12:23
12	1	(electromagnetic with field) and (calculat$3 with (intensity or strength)) and (((four with sides) or quadrilateral) with mesh) and surface	USPAT; US-PGPUB	2003/06/24 12:26
13	0	(("5140338" | "5600331" | "5650935" | "5745370" | "5812434" | "5940310").PN.) and font and back	USPAT	2003/06/24 12:55
24	1	5940310.pn.	USPAT; US-PGPUB	2003/06/24 13:10
26	1	JP-04222061-$.did.	USPAT; US-PGPUB; JPO	2003/06/24 14:05
27	1	JP-07234890-$.did.	USPAT; US-PGPUB; JPO	2003/06/24 14:06
28	1	JP-07302278-$.did.	USPAT; US-PGPUB; JPO	2003/06/24 14:06
29	4	("5650935" | "5812434" | "5815414" | "5835979").PN.	USPAT	2003/06/24 14:15
30	0	(702/$.ccls. or 703/$.ccls.) and (electromagnetic with field) and (calculat$3 with intensity) and (extract$3 with surface) and (partition$3 with surface)	USPAT; US-PGPUB	2003/06/24 14:20
31	0	(702/$.ccls. or 703/$.ccls.) and (electromagnetic with field) and (calculat$3 with intensity) and (extract$3 with surface) and (divid$3 with surface)	USPAT; US-PGPUB	2003/06/24 14:20
32	2	(702/$.ccls. or 703/$.ccls.) and (electromagnetic with field) and (calculat$3 with intensity) and (extract$3 with surface)	USPAT; US-PGPUB	2003/06/24 14:20
-	1	10/057887	USPAT; US-PGPUB	2003/06/22 16:42
-	1856	electromagnetic with field with intensity	USPAT; US-PGPUB	2003/06/22 16:43
-	128	(electromagnetic with field with intensity) and (calculat$3 with intensity)	USPAT; US-PGPUB	2003/06/24 12:18
-	1	((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and (metal with cabinet)	USPAT; US-PGPUB	2003/06/22 17:08
-	2	((electromagnetic with field with intensity) and (calculat$3 with intensity)) and (metal with cabinet)	USPAT; US-PGPUB	2003/06/24 13:10
-	1	"5005147".PN.	USPAT	2003/06/22 16:51

-		1	(((electromagnetic with field with intensity) and (calculat$3 with intensity)) and (metal with cabinet)) and (extract$3 with surface with data)	USPAT; US-PGPUB	2003/06/23 14:18
-		1	(((electromagnetic with field with intensity) and (calculat$3 with intensity)) and (metal with cabinet)) and (surface with data)	USPAT; US-PGPUB	2003/06/22 17:02
-		1	(((electromagnetic with field with intensity) and (calculat$3 with intensity)) and (metal with cabinet)) and (partition$3 with surface)	USPAT; US-PGPUB	2003/06/22 17:03
-		1	(((electromagnetic with field with intensity) and (calculat$3 with intensity)) and (metal with cabinet)) and (quadrilateral with meshes)	USPAT; US-PGPUB	2003/06/23 14:36
-		1	(((electromagnetic with field with intensity) and (calculat$3 with intensity)) and (metal with cabinet)) and meshes	USPAT; US-PGPUB	2003/06/22 17:05
-		33	((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and metal	USPAT; US-PGPUB	2003/06/22 17:08
-		1	(((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and metal) and (extract$3 with surface with data)	USPAT; US-PGPUB	2003/06/22 17:09
-		9	(((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and metal) and (surface with data)	USPAT; US-PGPUB	2003/06/22 17:09
-		4	((((electromagnetic with field with intensity) and (calculat$3 with intensity) and emit$3 and metal) and (surface with data)) and extract$3	USPAT; US-PGPUB	2003/06/22 17:09
-		1	(((((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and partition$3	USPAT; US-PGPUB	2003/06/22 17:10
-		3	(((((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3	USPAT; US-PGPUB	2003/06/22 17:10
-		3	((((((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)	USPAT; US-PGPUB	2003/06/22 17:12
-		0	(((((((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and devid$3	USPAT; US-PGPUB	2003/06/22 17:13
-		3.	((((((((electromagnetic with field with intensity) and (calculat$3 with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections)	USPAT; US-PGPUB	2003/06/23 12:25
-		0	(electromagnetic with field with intensity) and (extract$3 with surface with data)and (partion$3 with surface)	USPAT; US-PGPUB	2003/06/23 10:52

C:\APPS\EAST\Workspaces\10057887.wsp

-		39	((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections)	USPAT; US-PGPUB	2003/06/23 11:55
-		1	(electromagnetic with field with intensity) and (extract$3 with surface with data)and (partition$3 with surface)	USPAT; US-PGPUB	2003/06/23 10:52
-		1	(((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections)) and (partition$3 with surface)	USPAT; US-PGPUB	2003/06/23 10:53
-		1	(((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and quadrilateral	USPAT; US-PGPUB	2003/06/23 12:02
-		2	(electromagnetic with field with intensity) and (quadrilateral with mesh$2)	USPAT; US-PGPUB	2003/06/23 11:58
-		39	(((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6	USPAT; US-PGPUB	2003/06/23 12:07
-		39	((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))	USPAT; US-PGPUB	2003/06/23 12:08
-		39	(((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat	USPAT; US-PGPUB	2003/06/23 12:09
-		38	((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)	USPAT; US-PGPUB	2003/06/23 12:10
-		38	(((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)) and calculat$3	USPAT; US-PGPUB	2003/06/23 12:12

-		36	(((((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)) and calculat$3) and vertex$2	USPAT; US-PGPUB	2003/06/23 12:13
-		1	(((((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)) and calculat$3) and vertex$2) and partition$3	USPAT; US-PGPUB	2003/06/23 12:13
-		1	(((((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)) and calculat$3) and vertex$2) and (data with shar$2)	USPAT; US-PGPUB	2003/06/23 12:15
-		36	(((((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)) and calculat$3) and vertex$2) and (control$4 with point)	USPAT; US-PGPUB	2003/06/23 12:16
-		36	((((((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)) and calculat$3) and vertex$2) and (control$4 with point)) and (aligning with surface)	USPAT; US-PGPUB	2003/06/24 13:43
-		1	(((((((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)) and calculat$3) and vertex$2) and (control$4 with point)) and (aligning with surface)) and repartition$3	USPAT; US-PGPUB	2003/06/23 12:18

–	36	((((((((((((((((electromagnetic with field with intensity)) and emit$3 and metal) and (surface with data)) and extract$3) and mesh$3) and (output$3 with data)) and (parts or pieces or sections) and program$6) and (3D or three-dimensional or (three with dimentional))) and flat) and (plurality with surface)) and calculat$3) and vertex$2) and (control$4 with point)) and (aligning with surface)) and smaller	USPAT; US-PGPUB	2003/06/23 12:19
–	101	le-john.xa.	USPAT; US-PGPUB	2003/06/23 12:26
–	4	le-john.xa. and mesh$2 and (3D or three-dimensional or·(three with dimentional))	USPAT; US-PGPUB	2003/06/23 12:26
–	1	5650935.pn.	USPAT; US-PGPUB	2003/06/23 14:17
–	1	(electromagnetic with field with intensity) and (calculat$3 with intensity) and (extract$3 with surface) and (partition$3 with surface)	USPAT; US-PGPUB	2003/06/23 14:25
–	4	(electromagnetic with field) and (calculat$3 with intensity) and (extract$3 with surface) and (partition$3 with surface)	USPAT; US-PGPUB	2003/06/24 12:17
–	1	(electromagnetic with field with intensity) and (calculat$3 with intensity) and (extract$3 with unit) and (partition$3 with unit)	USPAT; US-PGPUB	2003/06/23 14:28
–	2	(electromagnetic with field with intensity) and (quadrilateral with meshes)	USPAT; US-PGPUB	2003/06/23 14:37
–	6	("5140338" | "5600331" | "5650935" | "5745370" | "5812434" | "5940310").PN.	USPAT	2003/06/24 12:15
–	2	(("5140338" | "5600331" | "5650935" | "5745370" | "5812434" | "5940310").PN.) and extract$3 and divid$3	USPAT	2003/06/24 12:55